



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/851,348	0:	5/09/2001	Masahiro Naito	1190-0498P	3044	
2292	7590	06/24/2004		EXAMINER		
		KOLASCH & BIR	NGUYEN, KIMNHUNG T			
PO BOX 747 FALLS CHU		22040-0747	ART UNIT	PAPER NUMBER		
	,			2674		
				DATE MAILED: 06/24/2004 15		

Please find below and/or attached an Office communication concerning this application or proceeding.

	·							
		Application No.	Applica	ant(s)				
	09/851,348	NAITO	ET AL.					
Office Action Sun	Examiner	Art Uni	t					
		Kimnhung Nguyer						
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY IN THE MAILING DATE OF THIS (In Extensions of time may be available under after SIX (6) MONTHS from the mailing date. If the period for reply specified above is less. If NO period for reply is specified above, the Failure to reply within the set or extended In Any reply received by the Office later than earned patent term adjustment. See 37 C.	communication. the provisions of 37 CFR 1.13 te of this communication. s than thirty (30) days, a reply e maximum statutory period w beriod for reply will, by statute, three months after the mailing	e6(a). In no event, however within the statutory minimulian ill apply and will expire SIX cause the application to be	may a reply be timely filed on of thirty (30) days will be cor (6) MONTHS from the mailing scome ABANDONED (35 U.S.	nsidered timely. date of this communication. C. § 133).				
Status								
1) Responsive to communication	ation(s) filed on 07 Ju	ne 2004.						
2a) ☐ This action is FINAL .		action is non-final.						
Disposition of Claims								
4)	is/are withdrawwed. ed. ected to.							
Application Papers								
9)☐ The specification is objected	ed to by the Examiner							
10)☐ The drawing(s) filed on	D) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request th	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 1) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119		•						
·	None of: ne priority documents ne priority documents ed copies of the priori International Bureau	have been receive have been receive ity documents have (PCT Rule 17.2(a)	ed. ed in Application No been received in this).					
Attachment(s)								
1) Notice of References Cited (PTO-892)			erview Summary (PTO-413					
 Notice of Draftsperson's Patent Drawir Information Disclosure Statement(s) (F Paper No(s)/Mail Date 		5) 🔲 No	per No(s)/Mail Date dice of Informal Patent Appl er:					

Art Unit: 2674

DETAILED ACTION

This Application has been examined. The claims 1-11 are pending. The examination results are as following.

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 2. Claims 1-11 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

In claim 1, lines 7-9, "all the addresses being accessed without generating and transferring a flag associated with said detected region" is not supported in the specification.

In claim 6, lines 25-26, "all the addresses without generating and transferring a flag associated with said detected region" is not supported in the specification.

In claim 7, lines 8-9, "said addresses being accessed without generating and transferring a flag associated with said determined region" is not supported in the specification.

The specification does mention "the write region detecting means 8, it transfers the image data within the rectangular region defined by the detected addresses" on page 7, lines 28-30 and "the data transfer means 3 is responsive to the detected region information for transferring only such data that have been rewritten, to the display means 4". However, the specification does not

Art Unit: 2674

disclose "said addresses being accessed without generating and transferring a flag associated with said determined region" as claims 1, 6 and 7.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over figures 9-11 (admitted by Applicant) in view of Nobutani et al. (US patent 5,736,981) and in view of Hanami et al. (US patent 6,125,432).

Regarding claim 1, Prior Art in figure 9-11 disclose a display control device (7) including an image data writing means (1), a graphics memory (2) connected to the writing means, a data transfer means (3) responsive to a command from the writing means for reading data from the graphic memory, and transferring data to a display means (4). However, Prior Art of figures 9-11 do not disclose a write region detection means responsive to addresses accessed by the image data writing means for detecting a region including all the addresses being accessed. Nobutani et al. disclose in figure 4A, write region detection means (5, see rewrite detector 5, see column 11, lines 14-22). Hanami et al. disclose the addresses accessed by the image data writing (see image data transfer region, see column 8, lines 24-35, and see column 8, lines 55-66). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings

Art Unit: 2674

of Nobutani et al. including a write region and Hanami et al. with data transfer region as discussed above into the display system of Prior Art for producing the claimed invention because this would detect an address for accessing the display data memory and to cause the display controller to perform the partial rewrite operation (see Nobutani et al. of abstract), and for the data transfer to write operation and vice versa in order to carry out the precharging operation and the write operation concurrently, so that the pixel data can be transferred at a high data transfer rate and field data can be transferred independently (see Hanami et al. of abstract).

Regarding claim 11, Prior Art of figures 9-11 and Nobutani do not disclose, wherein said write region detection means detects minimum and maximum addresses among addresses within the graphics memory that have been accessed by said image data writing means, for detecting said region. Hanami et al. disclose a region detecting means for detecting minimum and maximum addresses (see storage location specified by one row address and one column address, see column 8, lines 24-34). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Hanami et al. et al. including a region detecting means for detecting minimum and maximum addresses as taught by Hanami et al. into the display system of Prior Art of figures 9-11 and Nobutani's system because this would for representing an image consisting of four pixels along the vertical directions and 256 pixels along the horizontal directions (see Hanami et al., column 8, lines 31-34).

Art Unit: 2674

5. Claims 2-6 and are rejected under 35 U.S.C. 103(a) as being unpatentable over Prior art of figures 9-11 in view of Nobutani et al. (US patent 5,736,981) and in view of Hanami et al. (6,125,432) as applied to claim1 above, and further in view of Shimizu (US patent 6,043,803).

Prior Art of figures 9-11, Nobutani et al. and Hanami et al. teach a display controller including an image data writing means (1), a graphics memory (2) connected to the writing means, a data transfer means (3) responsive to a command from the writing means for reading data from the graphic memory, and transferring data to a display means, and a write region detection means (5, see rewrite detector 5, see column 11, lines 14-22), and the addresses accessed by the image data writing as discussed above. Hanami et al. further more disclose the region from the vertical and horizontal direction address accessed by the writing means and rectangular region (see column 7, lines 53-64), and data writing means for detecting the region including all the addresses (see row address and column address, column 8, lines 24-34). However, Prior Art, Nobutani et al. and Hanami et al. do not disclose the minimum vertical direction address to the maximum vertical direction address among the address accessed by said image writing means, and from the minimum horizontal direction address to the maximum horizontal direction address among the address accessed by said image writings. Shimizu discloses a liquid crystal display apparatus connected minimum start position detecting circuit and maximum end position detecting circuit in a vertical sync and horizontal sync (see figure 3, column 5, lines 22-28). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize the teachings of Shimizu a minimum start position detecting circuit and maximum end position detecting circuit in a vertical sync

Art Unit: 2674

and horizontal sync as taught by Shimizu into the display system of Prior Art, Nobutani et al. and Hanami et al. having the region including all the addresses for producing the claimed invention because this would be indicated a full size for screen from a horizontal sync and vertical sync signal.

6. Claims 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Prior art of figures 9-11 cited by applicant in view of Hanami et al. (US patent 6,125,432) and in view of Shimizu (US patent 6,043,803).

Prior art of figures 9-11 disclose a machine-reable medium (liquid crystal driver circuit 6 reads the data from memory 5) having stored thereon a plurality of executable, the plurality of instructions comprising to access image data (1) and a memory (5) for transfer to the display screen (7). However, Prior Art of figures 9-11 do not disclose an image data region less than a full display screen of image data, a transfer image within the image data region and a region having rectangular region from a minimum vertical direction address to a maximum vertical direction address among the address being accessed. Hanami et al. disclose an image data region to addresses accessed by the image data writing (see image data transfer region, see column 8, lines 24-35, and column 8, lines 55-66) and an inherent less than a full display screen of image data and a region having rectangular region from a vertical direction address to a vertical direction address among the address being accessed (see column 7, lines 53-64). Shimizu discloses a minimum start position detecting circuit and maximum end position detecting circuit in a vertical sync and horizontal sync, (see figure 3, column 5, lines 22-28). It would have been obvious to one of ordinary skill in the art at the time the invention was made to

Application/Control Number: 09/851,348 Page 7

Art Unit: 2674

utilize the teachings of data region to addresses accessed by the image data writing as taught by Hanami et al. and Shimizu with a minimum start position detecting circuit and maximum end position detecting circuit in a vertical sync and horizontal sync as taught by Shimizu into the display system of Prior Art and Hanami et al. having all addresses for producing the claimed invention because this would be make a write operation and precharging operation can be concurrent carried out and hence the data transfer time can be reduce (see column 10, lines 29-31) and for minimum start position detecting circuit and maximum end position detecting circuit in a vertical sync and horizontal sync to indicate a full size for screen from a horizontal sync and vertical sync signal.

Response To Arguments

7. Applicant's argument filed on 6-7-04 has been fully considered but they are not persuasive.

Applicant argues that Nobutani, Hanami and Shimigu do not disclose "all the addresses being accessed by an image data writing means without generating and transferring a flag associated with said detected region". Examiner respectfully agrees with the arguments; however, these limitations do not support in the specification.

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimnhung Nguyen whose telephone number (703) 308-0425.

Art Unit: 2674

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, RICHARD A HJERPE can be reached on (703) 305-4709.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D. C. 20231

Or faxed to:

(703) 872-9314 (for Technology Center 2600 only).

Hand-delivery response should be brought to: Crystal Park II, 2121 Crystal Drive, Arlington, VA Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Kimnhung Nguyen June 18, 2004

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600